INDEX TO AUTHORS

AMMERMAN, MARION. See GURIN and EDDY, 421

ARONSON, JOSEPH D. The specific cytotoxic action of tuberculin in tissue culture, 387

AVERY, OSWALD T., and DUBOS, RENÉ. The protective action of a specific enzyme against Type III pneumococcus infection in mice, 73

— and GOEBEL, WALTHER F. Chemoimmunological studies on conjugated carbohydrate-proteins. V. The immunological specificity of an antigen prepared by combining the capsular polysaccharide of Type III pneumococcus with foreign protein, 437

—. See DUBOS and AVERY, 51

—. See GOEBEL and AVERY, 431

BARLOW, O. W. See MOORE and BARLOW, 761

BEACH, J. R. A bacteriological study of infectious laryngotracheitis of chickens, 801

—. A filtrable virus, the cause of infectious laryngotracheitis of chickens, 809

BEALE, HELEN PURDY. Specificity of the precipitin reaction in tobacco mosaic disease, 463

BERRY, G. P. See RIVERS and BERRY, 105, 119, 129

—. See RIVERS, BERRY, and SPRUNT, 91

BRANCH, ARNOLD. See STILLMAN and BRANCH, 623

CASEY, ALBERT E., and PEARCE, LOUISE. Studies on the blood cytology of the rabbit. VIII. The blood of normal rabbits as an index of their resistance to a transplantable neoplasm, 475

CASTANEDA, M. RUIZ. See MOOSER, CASTANEDA, and ZINSSER, 567

—. See ZINSSER and CASTANEDA, 11

DAWSON, MARTIN H., and SIA, RICHARD H. P. *In vitro* transformation of pneumococcal types. I. A technique for inducing transformation of pneumococcal types *in vitro*, 681

—. See SIA and DAWSON, 701

DENTON, JAMES. See GURIN and EDDY, 421

DUBOS, RENÉ, and AVERY, OSWALD T. Decomposition of the capsular polysaccharide of Pneumococcus Type III by a bacterial enzyme, 51

—. See AVERY and DUBOS, 73

DURAN-REYNALS, F. The effect of testicle extract and of normal serum on a transplantable epithelial tumor of the rabbit, 493

EDDY, WALTER H. See GURIN and EDDY, 421

ELMAN, ROBERT, and TAUSSIG, J. B. The cholesterol function of the gall bladder, 775

FAVILLI, GIOVANNI. The effect of testicle extract on red blood cells *in vitro*, 197

FINLAND, MAXWELL, and SUTLIFF, W. D. Specific cutaneous reactions and circulating antibodies in the course of lobar pneumonia. I. Cases receiving no serum therapy, 637

— and —. II. Cases treated with antipneumococcic sera, 653

FISCHER, ALBERT. See PINCUS and FISCHER, 323

FLEISHER, MOYER S., and JONES, LLOYD. Serum sickness in rabbits. I. Manifestations of serum sickness, 597

FRANCIS, THOMAS, JR., and TILLETT, WILLIAM S. Cutaneous reactions in rabbits to the type-specific capsular polysaccharides of pneumococcus, 587

FREUND, JULES. Reaction of young and adult rabbits to pneumococci injected into the skin, 171

FRIEDHEIM, ERNST A. H. Pyocyanine, an accessory respiratory enzyme, 207

FROBISHER, MARTIN, JR. Electrophoresis experiments with the virus and protective bodies of yellow fever, 733

GOEBEL, WALTHER F., and AVERY, OSWALD T. Chemoimmunological studies on conjugated carbohydrate-proteins. IV. The synthesis of the *p*-aminobenzyl ether of the soluble specific substance of Type III pneumococcus and its coupling with protein, 431

—. See AVERY and GOEBEL, 437

GOETTSCH, MARIANNE, and PAPPENHEIMER, ALWIN M. Nutritional muscular dystrophy in the guinea pig and rabbit, 145

—. See ROGERS, PAPPENHEIMER, and GOETTSCH, 167

GOODNER, KENNETH. The development and localization of the dermal pneumococcic lesion in the rabbit, 847

—. See RHOADS and GOODNER, 41

GOWEN, JOHN W. See NELSON and GOWEN, 629

GREGOIRE, P. E. Action of methylene blue on body temperature and metabolism, 827

GRINNELL, FRANCIS B. Studies on the relationship of certain variants of *Bacillus typhosus*. I. Agglutination and agglutinin absorption, 577

GUNTHER, ANNE. See WELD and GUNTHER, 315

GURIN, SAMUEL S., and EDDY, WALTER H. Is the rat dermatitis consequent on vitamin B_2 (G) deficiency true pellagra? 421

HASS, G. M. See PINKERTON and HASS, 307

HEIDELBERGER, MICHAEL, and KENDALL, FORREST E. Protein fractions of a scarlatinal strain of *Streptococcus haemolyticus*, 515

JONES, LLOYD. See FLEISHER and JONES, 597

KENDALL, FORREST E. See HEIDELBERGER and KENDALL, 515

KNUTTI, R. E. See OLITSKY, KNUTTI, and TYLER, 31, 557

LANDSTEINER, K., and VAN DER SCHEER, J. On the specificity of serological reactions with simple chemical compounds (inhibition reactions), 295

LEWIS, PAUL A., and SHOPE, RICHARD E. Swine influenza. II. A hemophilic bacillus from the respiratory tract of infected swine, 361

LINTON, RICHARD W. Blood chemical changes in experimental streptococcus septicemia, 223
— and POINDEXTER, H. A. Artificial acidosis in *Trypanosoma lewisi* infections, and its bearing on the pathogenic action of *Trypanosoma equiperdum*, 669
LLOYD, WRAY. See SAWYER and LLOYD, 533
LYNCH, CLARA J. Studies on the relation between tumor susceptibility and heredity. V. The influence of heredity upon the incidence of lung tumors in mice, 747

MCEACHERN, DONALD. See RAKE and MCEACHERN, 23
MILLER, FRANKLIN R. The induced development and histogenesis of plasma cells, 333
MOORE, ROBERT A., and BARLOW, O. W. Histological studies of the bone marrow in fasted and polyneuritic pigeons, 761
— and SUMMERVILLE, WARD W. The immediate effects of unilateral nephrectomy on open glomeruli and urine output, 767
MOOSER, H., CASTANEDA, M. RUIZ, and ZINSSER, HANS. The transmission of the virus of Mexican typhus from rat to rat by *Polyplax spinulosus*, 567

NELSON, JOHN B., and GOWEN, JOHN W. The establishment of an albino rat colony free from middle ear disease, 629

OLITSKY, P. K., KNUTTI, R. E., and TYLER, J. R. Studies on the filtrability of *Bacterium granulosis*, 557
—, —, and —. Transmission and cultivation experiments with human trachoma and the experimental disease in monkeys, 31

PAPPENHEIMER, ALWIN M. See GOETTSCH and PAPPENHEIMER, 145
—. See ROGERS, PAPPENHEIMER, and GOETTSCH, 167
—. See WOLF and PAPPENHEIMER, 399
PEARCE, LOUISE. See CASEY and PEARCE, 475
PECK, SAMUEL M., and SOBOTKA, HARRY. Production of a refractory state as concerns the Shwartzman phenomenon by the injections of venom of the moccasin snake (*Ancistrodon piscivorus*), 407
PINCUS, GREGORY, and FISCHER, ALBERT. The growth and death of tissue cultures exposed to supranormal temperatures, 323
PINKERTON, HENRY. Typhus fever. I. Comparative study of European and American typhus in laboratory animals, 181
—. II. Cytological studies of the scrotal sac exudate in typhus-infected guinea pigs, 187
— and HASS, G. M. Typhus fever. III. The behavior of *Rickettsia prowazeki* in tissue cultures, 307
POINDEXTER, H. A. See LINTON and POINDEXTER, 669
PURDY, CHARLOTTE, and SHEARD, CHARLES. Factors influencing the correlation between differences of electric potential in the skin of human subjects and basal metabolism, 789

RAKE, GEOFFREY, and MCEACHERN, DONALD. Experimental hyperthyroidism and its effect upon the myocardium in guinea pigs and rabbits, 23
RHOADS, C. P., and GOODNER, KENNETH. The pathology of experimental dermal pneumococcus infection in the rabbit, 41

RIVERS, T. M. Cultivation of vaccine virus for Jennerian prophylaxis in man, 453
— and BERRY, G. P. Psittacosis. II. Experimentally induced infections in mice, 105
— and —. III. Experimentally induced infections in rabbits and guinea pigs, 119
— and —. IV. Experimentally induced infections in monkeys, 129
—, —, and SPRUNT, D. H. Psittacosis. I. Experimentally induced infections in parrots, 91
ROGERS, W. M., PAPPENHEIMER, ALWIN M., and GOETTSCH, MARIANNE. Nerve endings in nutritional muscular dystrophy in guinea pigs, 167
ROSS, VICTOR. Oral immunization against Pneumococcus Types II and III and the normal variation in resistance to these types among rats, 875
—. The rôle of the soluble specific substance in oral immunization against Pneumococcus Type I, 899
ROUS, PEYTON. See SMITH and ROUS, 499

SAWYER, W. A., and LLOYD, WRAY. The use of mice in tests of immunity against yellow fever, 533
SEEGAL, BEATRICE CARRIER. See SEEGAL and SEEGAL, 249, 265
SEEGAL, DAVID, and SEEGAL, BEATRICE CARRIER. Local organ hypersensitiveness. III. Further observations on its experimental production in the rabbit eye, 249
— and —. IV. Inflammation produced in the actively sensitized rabbit eye by the introduction of homologous antigen into the gastrointestinal tract, 265
SEIFRIED, OSKAR. Histopathology of infectious laryngotracheitis in chickens, 817
SHEARD, CHARLES. See PURDY and SHEARD, 789
SHOPE, RICHARD E. An experimental study of "mad itch" with especial reference to its relationship to pseudorabies, 233
—. Swine influenza. I. Experimental transmission and pathology, 349
—. III. Filtration experiments and etiology, 373
—. See LEWIS and SHOPE, 361
SHWARTZMAN, GREGORY. Phenomenon of local skin reactivity to bacterial filtrates: an antibody auxiliary to serum neutralization of meningococcus reacting factors, 711
—. Phenomenon of local skin reactivity to bacterial filtrates: passive immunity to reacting factors, 1
SIA, RICHARD H. P., and DAWSON, MARTIN H. *In vitro* transformation of pneumococcal types. II. The nature of the factor responsible for the transformation of pneumococcal types, 701
—. See DAWSON and SIA, 681
SMITH, FREDERICK, and ROUS, PEYTON. The gradient of vascular permeability. IV. The permeability of the cutaneous venules and its functional significance, 499
SOBOTKA, HARRY. See PECK and SOBOTKA, 407
SPRUNT, D. H. See RIVERS, BERRY, and SPRUNT, 91
STILLMAN, ERNEST G. Duration of demonstrable antibodies in the serum of rabbits immunized with heat-killed Type I pneumococci, 615

STILLMAN, ERNEST G., and BRANCH, ARNOLD. Localization of pneumococci in the lungs of partially immunized mice following inhalation of pneumococci, 623
SUMMERVILLE, WARD W. See MOORE and SUMMERVILLE, 767
SUTLIFF, W. D. See FINLAND and SUTLIFF, 637, 653

TAUSSIG, J. B. See ELMAN and TAUSSIG, 775
TER LOUW, ADRIAN L. See WYCKOFF and TER LOUW, 449
TILLETT, WILLIAM S. See FRANCIS and TILLETT, 587
TYLER, J. R. See OLITSKY, KNUTTI, and TYLER, 31, 557

VAN DER SCHEER, J. See LANDSTEINER and VAN DER SCHEER, 295

WALTON, S. T. Studies on the specific characteristics of syphilitic blood proteins. I. Surface tension and solubility, 859
WARD, S. M. See RIVERS, 453
WELD, JULIA T. PARKER, and GUNTHER, ANNE. Differentiation between certain toxic properties of filtrates of hemolytic *Staphylococcus aureus*, 315
WISEMAN, BRUCE K. Criteria of the age of lymphocytes in the peripheral blood, 271
WOLF, ABNER, and PAPPENHEIMER, ALWIN M. The histopathology of nutritional encephalomalacia of chicks, 399
WYCKOFF, RALPH W. G., and TER LOUW, ADRIAN L. Some ultraviolet photomicrographs of *Bacillus subtilis*, 449

ZINSSER, HANS, and CASTANEDA, M. RUIZ. Studies on typhus fever. VIII. Ticks as a possible vector of the disease from animals to man, 11
—. See MOOSER, CASTANEDA, and ZINSSER, 567
ZOZAYA, JOSÉ. A serological study of the polysaccharides of meningococcus, *Bacillus anthracis*, *Bacillus proteus*, *Bacillus subtilis*, and *Bacillus mesentericus*, 725

INDEX TO SUBJECTS

ACIDOSIS, artificial, in *Trypanosoma lewisi* infections, bearing on pathogenic action of *Trypanosoma equiperdum*, 669
Age criteria, of lymphocytes in peripheral blood, 271
Agglutination and agglutinin absorption with variants of *Bacillus typhosus*, 577
Agglutinin absorption and agglutination with variants of *Bacillus typhosus*, 577
p-Aminobenzyl ether of soluble specific substance of Type III pneumococcus, synthesis, and coupling with protein, 431
Ancistrodon piscivorus, venom, injections producing refractory state concerning Shwartzman phenomenon, 407
Antibodies, circulating, and specific cutaneous reactions, in course of lobar pneumonia, 637, 653
—, demonstrable, duration in serum after immunization with heat-killed Type I pneumococci, 615
—, yellow fever, and virus, electrophoresis experiments, 733
Antibody auxiliary to serum neutralization of meningococcus reacting factors, 711
Antigen, homologous, inflammation produced in actively sensitized eye by introduction into gastrointestinal tract, 265
— prepared by combining capsular polysaccharide of Type III pneumococcus with foreign protein, immunological specificity, 437
Antipneumococcic sera in lobar pneumonia, specific cutaneous reactions and circulating antibodies, 653

BACILLUS *anthracis*, polysaccharide, serology, 725
—, hemophilic, from respiratory tract of swine infected with swine influenza, 361
— *mesentericus*, polysaccharide, serology, 725
— *proteus*, polysaccharide, serology, 725
— *subtilis*, polysaccharide, serology, 725
— —, ultra-violet photomicrographs, 449
— *typhosus*, variants, relationship, 577
Bacterial enzyme, decomposition of capsular polysaccharide of Pneumococcus Type III, 51
— filtrates, local skin reactivity to, 1, 711
Bacteriology, laryngotracheitis, infectious, of chickens, 801
Bacterium granulosis, filtrability, 557
Blood chemical changes in streptococcus septicemia, 223
— corpuscle, red. *See* Erythrocyte.
— cytology of rabbit, 475
—, normal rabbits, as index of resistance to transplantable neoplasm, 475
—, peripheral, criteria of age of lymphocytes, 271
— proteins, syphilitic, specific characteristics, 859
— —, —, surface tension and solubility, 859

Blood vessel, permeability, gradient, 499

CARBOHYDRATE-PROTEINS, conjugated, chemoimmunological studies, 431, 437
Cell, blood, red. *See* Erythrocyte.
Cells, plasma, induced development and histogenesis, 333
Chemical changes, blood, in streptococcus septicemia, 223
— compounds, simple, specificity of serological reactions with, 295
Chemoimmunological studies on conjugated carbohydrate-proteins, 431, 437
Cholesterol function of gall bladder, 775
Corpuscle, blood, red. *See* Erythrocyte.
Cultivation, trachoma, human, and experimental disease in monkeys, 31
—, vaccine virus, for Jennerian prophylaxis in man, 453
Culture, tissue, behavior of *Rickettsia prowazeki*, 307
—, —, exposed to supranormal temperatures, growth and death, 323
—, —, specific cytotoxic action of tuberculin, 387
Cytology, blood, of rabbit, 475
—, scrotal sac exudate in typhus infection, 187
Cytotoxic action, specific, of tuberculin in tissue culture, 387

DERMATITIS, rat, consequent on vitamin B_2 (G) deficiency, comparison with true pellagra, 421
Dystrophy, nutritional muscular, 145
—, — —, nerve endings, 167

EAR, middle, disease, establishment of albino rat colony free from, 629
Electric potential differences in skin of human subjects and basal metabolism, factors influencing correlation between, 789
Electrophoresis experiments with virus and protective bodies of yellow fever, 733
Encephalomalacia, chick, nutritional, histopathology, 399
Enzyme, bacterial, decomposition of capsular polysaccharide of Pneumococcus Type III, 51
—, respiratory, accessory, pyocyanine, 207
—, specific, protective action against Type III pneumococcus infection, 73
Epithelial tumor, rabbit, transplantable, effect of normal serum, 493
— —, —, —, effect of testicle extract, 493
Erythrocyte, testicle extract, effect *in vitro* of, on, 197
Etiology, swine influenza, 373
Exudate, scrotal sac, in typhus infection, cytology, 187
Eye, actively sensitized, inflammation produced by introduction of homologous antigen into gastrointestinal tract, 265
—, hypersensitiveness, local, production, 249

FASTING pigeons, histology of bone marrow, 761
Fever, typhus. *See* Typhus.
—, yellow. *See* Yellow fever.
Filtrability, *Bacterium granulosis*, 557
Filtrable virus, cause of infectious laryngotracheitis of chickens, 797
Filtrates, bacterial, local skin reactivity to, 1, 711
—, *Staphylococcus aureus*, hemolytic, differentiation between toxic properties, 315

Filtration experiments with swine influenza, 373
Fowl, laryngotracheitis, infectious, bacteriology, 801
—, —, —, filtrable virus causing, 809
—, —, —, histopathology, 817

GALL BLADDER, cholesterol function, 775
Gastrointestinal tract, inflammation produced in actively sensitized eye by introduction of homologous antigen into, 265
Glomeruli, open, and urine output, immediate effects of unilateral nephrectomy, 767

HEMOLYTIC *Staphylococcus aureus*, filtrates, differentiation between toxic properties, 315
Hemophilic bacillus from respiratory tract of swine infected with swine influenza, 361
Heredity, influence upon incidence of lung tumors in mice, 747
—, tumor susceptibility and, 747
Histogenesis and induced development of plasma cells, 333
Histology, bone marrow in fasted pigeons, 761
—, — — — polyneuritic pigeons, 761
Histopathology, laryngotracheitis, infectious, in chickens, 817
—, nutritional encephalomalacia of chicks, 399
Hypersensitiveness, eye, local, production, 249
—, local organ, 249, 265
Hyperthyroidism, myocardium, effect upon, of, 23

IMMUNITY, passive, to reacting factors of bacterial filtrates, 1
—, yellow fever, tested by means of mice, 533
Immunization, oral, against Pneumococcus Type I, rôle of soluble specific substance, 899
—, —, — — Type II, and normal variation in resistance to this type among rats, 875
—, —, — — Type III, and normal variation in resistance to this type among rats, 875
—, partial, localization of pneumococci in lungs of mice following inhalation of pneumococci, 623
—, Type I pneumococci, heat-killed, duration of demonstrable antibodies in serum, 615
Immunological specificity of antigen prepared by combining capsular polysaccharide of Type III pneumococcus with foreign protein, 437
Inflammation, eye, actively sensitized, produced by introduction of homologous antigen into gastrointestinal tract, 265
Influenza, swine, 349, 361, 373
—, —, hemophilic bacillus from respiratory tract, 361
—, —, pathology, 349
—, —, transmission, 349
In vitro, pneumococcal types transformed, 681, 701
— —, — — transformed, technique, 681
— —, red blood cells, effect of testicle extract, 197

JENNERIAN prophylaxis in man, cultivation of vaccine virus, 453

LARYNGOTRACHEITIS, infectious, chicken, bacteriology, 801
—, —, —, caused by filtrable virus, 809
—, —, —, histopathology, 817

Lung tumors, mouse, incidence, influence of heredity, 747
Lungs, partially immunized mice, localization of pneumococci in, following inhalation of pneumococci, 623
Lymphocytes in peripheral blood, criteria of age, 271

MAD itch, relationship to pseudorabies, 233
Marrow, fasted pigeons, histology, 761
—, polyneuritic pigeons, histology, 761
Meningococcus, polysaccharide, serology, 725
— reacting factors, antibody auxiliary to serum neutralization, 711
Metabolism, basal, and differences of electric potential in skin of human subjects, factors influencing correlation between, 789
— and body temperature, action of methylene blue, 827
Methylene blue, action on body temperature and metabolism, 827
Moccasin snake, *Ancistrodon piscivorus*, production of refractory state concerning Shwartzman phenomenon by injections of venom, 407
Mosaic disease, tobacco, specificity of precipitin reaction, 463
Muscular dystrophy, nutritional, 145
— —, —, nerve endings, 167
Myocardium, effect of hyperthyroidism upon, 23

NEOPLASM. *See* Tumor.

Nephrectomy, unilateral, immediate effects on open glomeruli and urine output, 767
Nerve endings in nutritional muscular dystrophy, 167
Nutritional encephalomalacia of chicks, histopathology, 399
— muscular dystrophy, 145
— — —, nerve endings, 167

ORGAN hypersensitiveness, local, 249, 265

PATHOGENIC action of *Trypanosoma equiperdum*, bearing of artificial acidosis in *Trypanosoma lewisi* infections on, 669
Pathology, pneumococcus dermal infection, 41
—, swine influenza, 349
Pellagra, true, comparison with rat dermatitis consequent on vitamin B_2 (G) deficiency, 421
Photomicrographs, ultra-violet, of *Bacillus subtilis*, 449
Plasma cells, induced development and histogenesis, 333
Pneumococcal types, *in vitro* transformation, 681, 701
— —, — — transformation, nature of factor responsible, 701
— —, — — transformation, technique, 681
Pneumococci, inhalation, followed by localization of pneumococci in lungs of partially immunized mice, 623
— injected into skin, reaction to, 171
—, localization in lungs of partially immunized mice following inhalation of pneumococci, 623
—, Type I, heat-killed, duration of demonstrable antibodies in serum after immunization with, 615
Pneumococcic lesion, dermal, development and localization in rabbit, 847
Pneumococcus infection, dermal, pathology, 41
—, polysaccharides, type-specific capsular, cutaneous reactions, 587

Pneumococcus Type I, soluble specific substance, rôle of, in oral immunization, 899
— — II, immunization, oral, and normal variation in resistance to this type among rats, 875
— — III, capsular polysaccharide, immunological specificity of antigen prepared by combining with foreign protein, 437
— — —, immunization, oral, and normal variation in resistance to this type among rats, 875
— — — infection, protective action of specific enzyme against, 73
— — —, polysaccharide, capsular, decomposition by bacterial enzyme, 51
— — —, soluble specific substance, synthesis of *p*-aminobenzyl ether, and coupling with protein, 431
Pneumonia, lobar, specific cutaneous reactions and circulating antibodies, 637, 653
—, —, treated with antipneumococcic sera, specific cutaneous reactions and circulating antibodies, 653
—, —, without serum therapy, specific cutaneous reactions and circulating antibodies, 637
Polyneuritic pigeons, histology of bone marrow, 761
Polyplax spinulosus, transmission of virus of Mexican typhus from rat to rat by, 567
Polysaccharide, capsular, of Pneumococcus Type III, decomposition by bacterial enzyme, 51
—, —, — — Type III, and foreign protein, immunological specificity of antigen prepared by combining, 437
— of *Bacillus anthracis*, serology, 725
— — — *mesentericus*, serology, 725
Polysaccharide of *Bacillus proteus*, serology, 725
— — — *subtilis*, serology, 725
— — meningococcus, serology, 725
Polysaccharides, capsular, of pneumococcus, type-specific, cutaneous reactions, 587
Potential, electric, differences, in skin of human subjects, and basal metabolism, factors influencing correlation, 789
Precipitin reaction, tobacco mosaic disease, specificity, 463
Prophylaxis, Jennerian, in man, cultivation of vaccine virus, 453
Protein, foreign, combined with capsular polysaccharide of Type III pneumococcus, immunological specificity of antigen from, 437
—fractions, *Streptococcus haemolyticus*, scarlatinal strain, 515
—, synthesis of *p*-aminobenzyl ether of soluble specific substance of Type III pneumococcus and coupling with, 431
Proteins, blood, syphilitic, specific characteristics, 859
—, —, —, surface tension and solubility, 859
—, conjugated carbohydrate-, chemo-immunological studies, 431, 437
Pseudorabies, relationship to mad itch, 233
Psittacosis, 91, 105, 119, 129
—, experimentally induced in guinea pigs, 119
—, — — — mice, 105
—, — — — monkeys, 129
—, — — — parrots, 91
—, — — — rabbits, 119
Pyocyanine, accessory respiratory enzyme, 207

RESISTANCE, Pneumococcus Type II, in rats, normal variation, 875

Resistance, Pneumococcus Type III, in rats, normal variation, 875
Respiratory enzyme, accessory, pyocyanine, 207
— tract of swine infected with swine influenza, hemophilic bacillus from, 361
Rickettsia prowazeki, behavior in tissue cultures, 307

SCARLATINAL strain of *Streptococcus haemolyticus*, protein fractions, 515
Scrotal sac exudate in typhus infection, cytology, 187
Sensitization, active, of eye, inflammation produced by introduction of homologous antigen into gastrointestinal tract, 265
Septicemia, streptococcus, blood chemical changes, 223
Sera, antipneumococcic, in lobar pneumonia, specific cutaneous reactions and circulating antibodies, 653
Serological reactions, specificity with simple chemical compounds, 295
Serology, polysaccharide of *Bacillus anthracis*, 725
—, — — — *mesentericus*, 725
—, — — — *proteus*, 725
—, — — — *subtilis*, 725
—, — — meningococcus, 725
Serum, antibodies demonstrable in, duration after immunization with heat-killed Type I pneumococci, 615
— neutralization of meningococcus reacting factors, antibody auxiliary to, 711
—, normal, effect on transplantable epithelial tumor of rabbit, 493
— sickness, rabbit, manifestations, 597
— therapy omitted in lobar pneumonia, specific cutaneous reactions and circulating antibodies, 637
Shwartzman phenomenon, refractory state produced by injections of venom of moccasin snake, *Ancistrodon piscivorus*, 407
Skin, human, differences of electric potential, and basal metabolism, factors influencing correlation between, 789
—, pneumococci injected into, reaction to, 171
—, pneumococcic lesion in rabbit, development and localization, 847
—, pneumococcus infection, pathology, 41
—, reactions, specific, and circulating antibodies, in course of lobar pneumonia, 637
—, — to type-specific capsular polysaccharides of pneumococcus, 587
— reactivity, local, to bacterial filtrates, 1, 711
—, specific reactions, and circulating antibodies, in course of lobar pneumonia, 653
—, venules, permeability, functional significance, 499
Snake, moccasin, *Ancistrodon piscivorus*, production of refractory state concerning Shwartzman phenomenon by injections of venom, 407
Specific cutaneous reactions and circulating antibodies in course of lobar pneumonia, 637, 653
— enzyme, Type III pneumococcus infection, protective action, 73
— soluble substance, Pneumococcus Type I, rôle in oral immunization, 899
— — —, — Type III, synthesis of *p*-aminobenzyl ether, and its coupling with protein, 431
—, type-, capsular polysaccharides of pneumococcus, cutaneous reactions, 587

Specificity, cytotoxic action of tuberculin in tissue culture, 387
—, immunological, of antigen prepared by combining capsular polysaccharide of Type III pneumococcus with foreign protein, 437
—, precipitin reaction in tobacco mosaic disease, 463
—, serological reactions with simple chemical compounds, 295
Staphylococcus aureus, hemolytic, filtrates, differentiation between toxic properties, 315
Streptococcus haemolyticus, scarlatinal strain, protein fractions, 515
— septicemia, blood chemical changes, 223
Susceptibility, tumor, relation to heredity, 747
Swine influenza, 349, 361, 373
— —, hemophilic bacillus from respiratory tract, 361
— —, pathology, 349
— —, transmission, 349
Syphilitic blood proteins, specific characteristics, 859
— — —, surface tension and solubility, 859

TEMPERATURE, body, and metabolism, action of methylene blue, 827
Temperatures, supranormal, growth and death of tissue cultures exposed to, 323
Tension, surface, and solubility, of syphilitic blood proteins, 859
Testicle extract, effect on red blood cells *in vitro*, 197
— —, — — transplantable epithelial tumor of rabbit, 493
Ticks as possible vector of typhus fever from animals to man, 11
Tissue culture, behavior of *Rickettsia prowazeki*, 307
— — exposed to supranormal temperatures, growth and death, 323
Tissue culture, specific cytotoxic action of tuberculin, 387
Tobacco mosaic disease, specificity of precipitin reaction, 463
Toxic properties of filtrates of hemolytic *Staphylococcus aureus*, differentiation between, 315
Trachoma, human, and experimental in monkeys, transmission and cultivation experiments, 31
Transmission experiments with human trachoma and experimental disease in monkeys, 31
—, swine influenza, 349
Trypanosoma equiperdum, pathogenic action, bearing of artificial acidosis in *Trypanosoma lewisi* infections, 669
— *lewisi* infections, artificial acidosis, bearing on pathogenic action of *Trypanosoma equiperdum*, 669
Tuberculin in tissue culture, specific cytotoxic action, 387
Tumor, lung, mouse, influence of heredity upon incidence, 747
—, susceptibility, relation to heredity, 747
—, transplantable, blood of normal rabbits as index of resistance, 475
—, —, epithelial, rabbit, effect of normal serum, 493
—, —, —, —, effect of testicle extract, 493
Typhus, 11, 181, 187, 307
—, American and European, comparison, 181
—, European and American, comparison, 181
—, infection, cytology of scrotal sac exudate, 187
—, Mexican, transmission of virus from rat to rat by *Polyplax spinulosus*, 567
—, ticks as possible vector from animals to man, 11

ULTRA-VIOLET photomicrographs of *Bacillus subtilis*, 449
Urine output and open glomeruli, immediate effects of unilateral nephrectomy, 767

VACCINE virus, cultivation for Jennerian prophylaxis in man, 453
Venom, *Ancistrodon piscivorus*, injections, producing refractory state concerning Shwartzman phenomenon, 407
—, moccasin snake, injections, producing refractory state concerning Shwartzman phenomenon, 407
Venules, cutaneous, permeability, functional significance, 499
Virus, filtrable, cause of infectious laryngotracheitis of chickens, 797
—, Mexican typhus, transmission from rat to rat by *Polyplax spinulosus*, 567
—, vaccine, cultivation for Jennerian prophylaxis in man, 453
—, yellow fever, and protective bodies, electrophoresis experiments, 733
Vitamin B_2 (G) deficiency, rat dermatitis consequent on, comparison with true pellagra, 421

YELLOW fever, immunity tested by means of mice, 533
— —, virus and protective bodies, electrophoresis experiments, 733